

Docket No. 00-091-DSK

Express Mail No.
EL356874422US**CLAIMS:**

What is claimed is:

- 5 1. A method for sampling data signals between
electronic components, comprising:
connecting the electronic components by using a
straight feed-through connector wherein the straight
feed-through connector has connecting pins;
10 attaching one end of a flexible circuit to the
connecting pins of the feed-through connector; and
attaching an opposite end of the flexible circuit to
a display.
- 15 2. The method according to claim 1, wherein the
flexible circuit is attached to the connector pins by
means of soldering.
3. The method according to claim 1, wherein the
20 flexible circuit is attached to the connector by a
unidirectional locking tine.
4. The method according to claim 1, wherein the
flexible circuit is attached to the connector by a wire
25 trap.
5. The method according to claim 1, wherein the display
is a light emitting diode (LED).

Docket No. 00-091-DSK

Docket No. 00-091-DSK

Express Mail No.

EL356874422US

6. The method according to claim 1, wherein the display constitutes a field replaceable unit (FRU).

7. The method according to claim 1, wherein the data
5 sampling can be used for detection of fault signals, status, idle signals, error checking, and introduction of a signal analyzer.

8. A system for sampling data signals between electronic components, comprising:

10 a straight feed-through connector for connecting the electronic components wherein the straight feed-through connector has connecting pins;

means for attaching one end of a flexible circuit to the connecting pins of the feed-through connector; and

15 means for attaching the opposite end of the flexible circuit to a display.

9. The system according to claim 8, wherein the flexible circuit is attached to the connector pins by
20 means of soldering.

10. The system according to claim 8, wherein the flexible circuit is attached to the connector by a unidirectional locking tine.

25

11. The system according to claim 8, wherein the flexible circuit is attached to the connector by a wire trap.

EL356874422US

13. The system according to claim 8, wherein the display constitutes a field replaceable unit (FRU).

add a)

1. The first step is to identify the problem or question that needs to be addressed. This involves understanding the context and the specific requirements of the task.